

Decorative Panels Lamination offer a range of PVC Faux Leather finishes that are an economical alternative to genuine hide. Laminated on MDF and dp-lite lightweight hollowcore board they offer the advantage of a realistic grain structure whilst able to withstand the rigours of daily use.

Uses and Applications

- Bedrooms & Living room applications
- Internal furniture components
- Framed furniture doors
- Internal fit out
- Shopfitting & Hospitality
- Exhibition applications
- Motor homes, caravans & leisure vehicles

Benefits of Using the Product

- Economical alternative to genuine hide
- Excellent surface performance
- Realistic grain structure
- Withstands the rigours of daily use
- Good light fastness with consistent colour
- Long lasting
- Tear resistant
- Easily cleaned

Colours and Finishes Available

Many colour and grain options are available; consult the Decorative Panels Lamination 'PVC Faux Leather laminated on MDF and dp-lite lightweight hollowcore board' brochure for more information. Grain options are dependent on colour choice.

Technical Information

Available as standard in the following substrates and sizes:

MDF	dp-lite hollowcore
2440 x 1220 x 9-25mm	2440 x 1220 x 22mm
3050 x 1220 x 9-25mm	2440 x 1220 x 35mm
	2440 x 1220 x 50mm



The Faux Leather range has a minimum Martindale test rating of 20,000 cycles.
Laminated with balancer.
FSC® certified product.

Aftercare and Cleaning

We recommend cleaning with a mild soap solution on a damp cloth which is then dried immediately. Do not use any solvent, chloride, abrasive, chemical based cleaners as they will degrade the PVC surface.

For more information visit:

www.decorativepanels.co.uk

Decorative Panels Lamination Ltd

Century House
Premier Way
Lowfields Business Park
Elland
West Yorkshire
HX5 9HF
Tel: 01484 658341

Technical Information

FIRA 6250 2005

Property	Result	
	Molinari	Imogen
Impact (dropped steel ball)	5	5
Resistance to wet heat		
55° C	5	5
70° C	5	5
85° C	1	3
Resistance to dry heat		
85° C	5	5
100° C	4	4
Resistance to marking by liquids		
Acetone	5	5
Ethanol 96%	2	5
Ethanol 48%	2	5
Tea	5	5
Coffee	5	2
Disinfectant (Phenol)	5	5
Disinfectant (Chloro)	5	5
Paraffin oil	5	5
Blackcurrant juice	5	5
Ammonia (10%(m/m) solution)	5	5
Acetic acid (4.4% solution)	5	5
Olive oil ^b	5	5
Oils & fats (24 hour)		
Oils	5	5
Fats	5	5

Ratings classification

5. No visible changes.
4. Slight change in gloss and/or colour visible only when the light source is mirrored in the test surface on or quite near the mark and is reflected towards the observer's eye, or a few isolated marks just visible.
3. Slight mark, visible in several viewing directions, for example almost a complete disc or circle just visible.
2. Strong mark, the structure of the surface being however largely unchanged.
1. Strong mark, the structure of the surface being changed or the surface material being totally or partially removed or the filter paper adhering to the surface.

